

JUMBO PLAST

Flexible Intermediate Bulk Container

BIG BAGS / JUMBO BAGS

JUMBOPLAST supply FIBC(Flexible Intermediate Bulk Containers) for a broad range of applications. Also known as Bulk Bags, Big Bags, these big flexible containers are perfect for packing and transporting bulk loose granular or powdered products.



TEL : +966 13 867 7949 ; +966 59 797 9295

Email: sales@jumboplast.com, info@jumboplast.com

www.jumboplast.com

OUR PRODUCTS



One - Two Loop FIBC (Big Bag)



Standard big bags



Circular big bag



Builders Bag



Sling bags 1.5 ton



Sling bags 2.00 ton

One - Two Loop FIBC (Big Bag)

One and two Loop FIBC Overview

1 and 2-Loop FIBCs are commonly recognized and accepted as being the most cost effective form of packaging based on a cost-to-weight transported ratio.

1- and 2-Loop FIBCs are capable of transporting loads between 500 kg and 3,000 kg .

The designs consist of an outer bag with either a single or double integral lifting loop configuration. Coated or uncoated operations are available depending on your requirements. Inner liners can be inserted to give additional moisture protection depending on the product and application.

Top and Bottom Constructions

- ❖ Standard open top with filling slit
- ❖ Filling spout with sewn-in lid
- ❖ Square or rectangular sewn-in base
- ❖ Star base
- ❖ Gusseted and sewn base
- ❖ Discharge spout (standard or Iris closure)

Applications

Our design has been widely used for a number of years resulting in millions of bags being produced and used globally. The main markets include:
Agriculture, fertilizer, seed, and animal feed
Building industry: cement, fly-ash
Minerals: salt, nickel Silica sand



Printing

Up to 4 colors

Standard big bags

STANDARD FEATURES

- **LIFTING: 4 CROSS CORNER LOOPS**
- **FABRIC: U.V. STABILISED WOVEN POLYPROPYLENE**
- **WATER RESISTANCE: LAMINATION OR POLYETHYLENE LINER**
- **SAFE WORKING LOAD: UP TO 1500 KGS**

STANDARD SIZES

BASE

90cm x 90cm

95cm x 95cm

100cm x 100cm


HEIGHT

● 90cm ● 160cm


● 120cm ● 180cm

● 140cm

HEIGHT CAN BE CUSTOM-MADE TO SUIT YOUR PRODUCT



ONE TRIP



MULTI TRIP

Flap/
Open Top

Duffel
Top

Spout
Top

**ONE
TRIP**



Closed
Bottom

Closed
Bottom

Closed
Bottom

Flap/
Open Top

Duffel
Top

Spout
Top

**MULTI
TRIP**



Discharge
Spout

Discharge
Spout

Discharge
Spout



Standard big bags

STANDARD FEATURES

- **LIFTING:** 4 LOOPS EXTENDED DOWN SIDE AND UNDER BASE
- **FABRIC:** U.V. STABILISED WOVEN POLYPROPYLENE
- **WATER RESISTANCE:** LAMINATION OR POLYETHYLENE LINER
- **SAFE WORKING LOAD:** UP TO 2000 KGS

STANDARD SIZES

BASE

90CM x 90CM

95CM x 95CM

100CM x 100CM


HEIGHT

● 90CM ● 160CM


● 120CM ● 180CM

● 140CM

HEIGHT CAN BE CUSTOM-MADE TO SUIT YOUR PRODUCT



ONE TRIP



MULTI TRIP

ONE TRIP

Flap/
Open Top



Closed
Bottom
Flap/
Open Top

Duffel
Top



Closed
Bottom
Duffel
Top

Spout
Top



Closed
Bottom
Spout
Top

MULTI TRIP



Discharge
Spout



Discharge
Spout



Discharge
Spout



Circular big bag

Overview

This model has 4 lifting points. Lifting loops are sewn in eight fabric reinforced bands, from one point to the next one (twisted cross corner loops system), spreading tension in a very homogeneous way. The tubing fabric doesn't have vertical seams.

Standard dimensions

Filling spout: 38 cm. diameter x 50 cm. length

Discharge spout: 35 cm. de diameter x 50 cm. length

Elevation loops: 25 cm. free inner length

B-lock closure for spouts: 60 cm. (x 2)

Options

Standard, coated or ventilated fabric / Antistatic, conductive or dissipative fabric

Dustproof reinforcement on seams

Polyethylene special inner liner with panels

Document pockets


Logos and designs printing



Circular big bag

CARGO OPTIONS FOR CIRCULAR MODEL

SAFE WORKING LOAD (SWL)	SAFETY FACTOR (SF)
1000 KG	5:1, 6:1, 8:1
1250 KG	5:1, 6:1
1500 KG	5:1
2000 KG	5:1



Standard dimensions and cargo volumes for circular big bag

Inner base dimensions (cm.)	90x90	95x95
Outer base dimensions (cm.)	90x90	95x95
Filled big bag diameter (cm.)	115	125
VOLUME (liters)	BODY'S HEIGHT (cm.)	
500	70	
600	80	
700	90	
800	100	
900	110	90
1000	120	100
1100	130	110
1200	140	120
1300	150	130
1400	160	140
1500	170	145
1600	180	155
1700	190	165
1800	200	175
1900	210	185
2000	220	190
2100		195
2200		200

Builders Bag

STANDARD FEATURES

LIFTING: 4 x 60cm loops extended down side seams for strength

FABRIC: U.V. stabilized woven polypropylene

SAFE WORKING LOAD: 1500 kg & 1000 kgs

STANDARD SIZES

Fabric

White

White

BASE

90cm x 90cm

90cm x 90cm


HEIGHT

90 cm

120 cm

2 Sided single colour print available

ONE TRIP



ONE TRIP

Open Top



Closed Bottom

OPTION

Flap/Open Top



Closed Bottom

